



NOTES:

1. STREETLIGHTS ON ARTERIAL STREETS WITH MEDIAN CURB SHALL BE 150 WATT - 16,000 LUMEN, LED LAMPS WITH CUT-OFF LUMINAIRES, LUMINAIRE ELEVATION OF 29', MOUNTED ON MARBLELITE POLES WITH 8' MAST ARMS AS PER SOUTHERN CALIFORNIA EDISON COMPANY STANDARDS. ALTERNATIVE STREETLIGHT POLES ARE SUBJECT TO APPROVAL BY THE CITY ENGINEER.
2. STREETLIGHTS SHALL, WHEN INSTALLED IN A MEDIAN, BE INSTALLED ON SINGLE OCTAGONAL POLES WITH A POLE HEIGHT OF 25'-9" AND SHALL HAVE DUAL MAST ARMS WITH A LENGTH OF 8' EACH.
3. INTERSECTIONS MAY BE SUPPLEMENTED WITH LIGHTING BEHIND CURB AND GUTTER IF MEDIAN LIGHTING CANNOT BE POSITIONED TO PROVIDE ADEQUATE ILLUMINATION.
4. STREETLIGHTS SHALL BE INSTALLED AT LOCATIONS AS DETERMINED BY THE CITY ENGINEER UPON REVIEW OF SUBMITTED IMPROVEMENT PLANS.
5. STREETLIGHT SPACING SHALL BE 150' MINIMUM TO 220' MAXIMUM.
6. IF AN INTERSECTION IS SIGNALIZED, A STREETLIGHT SHALL BE INSTALLED ON EACH CORNER AS A PART OF THE TRAFFIC SIGNAL SYSTEM.
7. ALL STREETLIGHTS INSTALLED OR REPLACED IN THE CENTRAL BUSINESS DISTRICT ARE SUBJECT TO APPROVAL BY THE CITY ENGINEER.

REVISIONS	DATE		CITY OF TULARE PUBLIC IMPROVEMENT STANDARD	
MAST ARM LENGTH, LUMINAIRE HT., MEDIAN LANGUAGE	8/7/17		ARTERIAL STREET LIGHTING WITH MEDIAN CURB	
			Approved By: <i>Michael W. Miller</i>	
			Date: 08/07/17 City Engineer	
			DRAWING NO.:	7325